

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34387	((edit\$3 or modif\$6) with (privilege\$1 or right\$1 or rule\$1 or rule-based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:57
L2	18271	1 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:58
L3	42741	"3" and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:58
L4	1268	((edit\$3 or modif\$6) with group\$1 with (privilege\$1 or right\$1 or rule\$1 or rule-based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:59
L5	584	4 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:00
L6	40725	"5" and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:58
L7	49674	5and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:58
L8	46	5 and relational	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 11:58
L9	14	((edit\$3 or modif\$6) with (different or two) with ((user\$1 or client\$1) near2 group\$1) with (privilege\$1 or right\$1 or rule\$1 or rule-based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:00

EAST Search History

L10	14	((edit\$3 or modif\$6) with (different or two) with ((user\$1 or client\$1) near2 group\$1) with (privilege\$1 or right\$1 or rule\$1 or polic\$3 or rule-set or rule-based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:01
L11	2	10 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:01
L12	17	((edit\$3 or modif\$6) with (different or two) with ((user\$1 or client\$1) near2 group\$1) with (privilege\$1 or authenticat\$5 or right\$1 or rule\$1 or polic\$3 or rule-set or rule-based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:02
L13	5	12 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:02
L14	30	((edit\$3 or modif\$6 or chang\$3) with (different or two) with ((user\$1 or client\$1) near2 group\$1) with (privilege\$1 or authenticat\$5 or right\$1 or rule\$1 or polic\$3 or rule-set or rule-based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:02
L15	10	14 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:06
L16	296	((authenticat\$5) with (user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:06
L17	21	((authenticat\$5) with (user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1) with (chang\$3 or modif\$5 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:07
L18	3	17 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:07

EAST Search History

L19	21	((authenticat\$5) with (user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL) with (chang\$3 or modif\$5 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:07
L20	3	19 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:08
L21	40	((authenticat\$5) with (user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL)) same (chang\$3 or modif\$5 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:09
L22	3	21 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:09
L23	1495	((user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL)) same (chang\$3 or modif\$5 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:09
L24	796	((user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL) with (chang\$3 or modif\$5 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:15
L25	262	24 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:09
L26	37	24 and (@ad<"20001002" or @rlad<"20001002") and (relational near2 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:16
L27	70	((edit\$3 or chang\$3 or modif\$5) with (table\$1 or relational)) same ((user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL) with (chang\$3 or modif\$5 or edit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:16

EAST Search History

L28	85	((edit\$3 or chang\$3 or modif\$5) with (table\$1 or relational)) same ((user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:17
L29	7	28 and (@ad<"20001002" or @rlad<"20001002") and (relational near2 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:16
L30	29	28 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:21
L31	9	30 and 707/3,9,10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:16
L32	11	((edit\$3 or chang\$3 or modif\$5) with (table\$1 or relational) with (text or image\$1 or jpeg or document\$1 or record\$1)) same ((user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:20
L33	29	((edit\$3 or chang\$3 or modif\$5) with (text\$1 or image\$1 or jpeg or document\$1 or record\$1)) same ((user\$1 or client\$1) with group\$1 with (right\$1 or privilege\$1 or polic\$3 or rule-based or rule-set or rule\$1 or ACL)) same (table\$1 or relational or RDBMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:21
L34	6	33 and (@ad<"20001002" or @rlad<"20001002")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:28
L35	2	"5983270".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/12 12:28